

Pedicure Service Procedure for FUNGAL NAILS

Nº	Name of the cosmetic	Volume, ml	Exposure/ treatment time, min	Application	Effect
1	Liquid Gloves Protecting Gel	2 ml	-	Apply the Liquid Gloves Protecting Gel to clean hands and massage until fully absorbed.	Antiseptic treatment for the technician prior to the pedicure service.
2	SANITAR Protecting Lotion	2 ml	-	Apply the SANITAR Protecting Lotion to the feet and the tools.	Antiseptic treatment for the client prior to the pedicure service.
3	Prophylactic Carbamide Keratolytic Agent	3 ml	1-20	Apply the Prophylactic Carbamide Keratolytic Agent (pH = 7) to the soles of feet. Work on the softened skin with a milling cutter.	Safely softens coarse skin for easy removal; prevents fungal nail infections.
4	Cuticle Remover	0.8 ml	1-5	Apply the Cuticle Remover (pH = 7) to the toenail cuticle. Remove the softened cuticle with a milling cutter.	Safely softens toenail cuticle for easy removal; retains cuticle elasticity and prevents hangnails.
5	Regenerating Nail Therapy Gel	0.4 ml	-	Gently massage the Regenerating Nail Therapy Gel into the nail plate and the cuticle.	Moisturizes and regenerates the skin around nail plates.
6	Antiviral and Antifungal Preventive Lotion	0.5 ml	-	Apply 2-3 drops of the Antiviral and Antifungal Preventive Lotion to the prepared toenails (broken, fungus-infected parts of toenails removed as much as possible) and leave until dry.	Actively treats fungal lesions.



7	Preventive Bio-Wax	0.5 ml	5-20	Apply the gel scrub to the treated surface	Reduces
	with		Treatment time	and massage it to exfoliate the skin. After	inflammatory processes;
	Micronized Sulphur		includes active	the gel is absorbed, brush off the scrub	softens nail plates, improves
			exfoliation and	particles.	their elasticity and facilitates
			gel absorption.		nail growth; prevents fungal
					nail infections.

8 Homecare:

First month:

- Apply 2-3 drops of the Antiviral and Antifungal Preventive Lotion to fungal lesions twice a week;
- Gently massage the Regenerating Nail Therapy Gel into the nail plate and the cuticle twice daily; Second month:

Alternate your remedy to the Antiviral and Antifungal Preventive Lotion or the Preventive Bio-Wax with Micronized Sulphur and apply 2-3 drops to fungal lesions twice a week until cured.

The product quantities were approximately calculated for one manicure/pedicure service. The calculation was based on the price set by the technician.

^{*} The calculation used the quantity indicated in brackets.